Appl. No. : 09/921,013 Filed : July 27, 2001

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An isolated microorganism identified by accession number KCTC 0687BP A biologically pure culture of *Enterobacter sp.* having all of the identifying characteristics of *Enterobacter sp.* SSYL deposited under accession number KCTC 0687BP.

 (Currently Amended) A method of producing an exopolysaccharide, comprising: providing an isolated microorganism identified by accession number KCTC 0687BP a biologically pure culture of *Enterobacter sp.* having all of the identifying characteristics of *Enterobacter sp.* SSYL deposited under accession number KCTC 0687BP;

culturing the microorganism biologically pure culture in a medium so as to allow production of an exopolysaccharide.

- 3. (Currently Amended) The method of Claim ‡ 2, further comprising: isolating the exopolysaccharide from a mixture comprising the culture medium, the microorganism and the exopolysaccharide.
- 4. (Currently Amended) The method of Claim 4 2, wherein the culture medium comprises a carbon source selected from the group consisting of glucose, sucrose, fructose, rhamnose, galactose, arbinose, mannitol, lactose, gluconate, xylose and mixtures thereof.
- 5. (Currently Amended) The method of Claim 4 2, wherein the culturing is performed at a temperature ranged from about 25°C to about 38°C.
- 6. (Currently Amended) The method of Claim 1, wherein the culturing is performed under aeration at a flow rate ranged from about 0.1 vvm to about 1.5 vvm.
- 7. (Currently Amended) The method of Claim 4 2, wherein the culturing is performed under agitation at an agitation speed ranged from about 150 to about 500 rpm.
 - 8. The method of Claim 3, wherein the isolation of the exopolysaccharide comprises: removing cells from the culture mixture; and dialyzing a resulting mixture so as to isolate the exopolysaccharide.
- 9. (Currently Amended) The method of Claim § 3, wherein the removal of cells isolation of the exopolysaccharide comprises:

centrifuging the culture mixture to obtain a supernatant: precipitating a mixture comprising the exopolysaccharide; dissolving the precipitate in a liquid; and

Appl. No. Filed : 09/921,013

: July 27, 2001

removing remaining cells.

- 10. (Currently Amended) The method of Claim 8, further comprising lyophilizing the separated exopolysaccharide dialyzed precipitate.
 - 11. (Currently Amended) A composition obtainable by the method of Claim ± 2 .
 - 12-23 (Cancelled)